[redacted]

Title:

Certificate of Analysis (CoA)

Date: 10/5/2026
Date Tested: 10/1/2026
Customer: AU[redacted]
Testing material: 5-Amino 1MQ
Lot Number: TB096
Sample ID: BTL260917[redacted]
Content/Potency: 50 mg
Storage: R.T.



Visual Description: Small clear vial: orange sample, white label, silver crimp, red plastic cap.
Labeled as: 5-Amino 1MQ
Manufacturer: [redacted]
Testing Purpose: FTIR and HPLC analysis for the identification, purity, potency and composition of a peptide product. It does not provide information on particulate matter, microbial contamination or presence of endotoxins.

Test	Method	Specification	Result
General Appearance	USP <630>	orange powder	orange powder
Mass	USP <41>	As recorded	114.5 mg
FTIR Identification and Composition Analysis	USP <197A>	Sample spectrum should confirm the content of peptide via characteristic bands	FTIR sample spectrum confirms the presence of 5-Amino 1MQ with addition of excipient(s)/fillers.
HPLC Purity of Peptide Assay	USP <621>	Specifications: ≥ 98 %	99.8 %
HPLC Potency Assay	USP <621>	Specifications: 90 – 110% of 50 mg	51.6 mg (103.2 %)
Peptide-to-Excipients Ratio	USP <1151>	Recommended ratios of (1:0) to (1:10) for (peptide: excipients)	51.6 : 62.9 mg (1:1.2)

The results of the CoA relate only to the item(s) tested and applied to the sample as received.

Andrea Castro, BS
Scientist-II
BTLabs


Escarlet Cabrieles, BS
Scientist-II
BTLabs

Title:


Certificate of Analysis (CoA)

[redacted]

FTIR ID and Composition Analysis: 5-Amino 1MQ Lot TB096



HPLC Purity and Potency Assay @ 240 nm: 5-Amino 1MQ Lot TB096



5-Amino 1MQ Lot TB096 @ 240 nm		
Peak #:	Retention Time (min)	Area (mAU*s)
1	1.987	12607.9

5601 Corporate Way | Suite 206 | West Palm Beach, FL 33407
Phone: (561) 625-0133
E-mail: info@btlabtesting.com | Website: https://btlabtesting.com